

## enqreg\_header

Table name: **enqreg\_header**

Contains/Role: Three tables (enqreg\_header, enqreg\_category and enqreg\_topic) are related together in order to store the so-called enquiry registration data (see database diagram). This table is the main of these tables, holding one record for each enquiry registration that has been made.

Ref also view [vw\\_enqreg\\_total](#).

Column Name	Datatype	Description
enqreg_header_recid	Int Primary key	Internal, auto-numbered. A unique id for each record.
internal_session_id	uniqueidentifier	For internal use, for "connection" back to Puzzel's internal system.
customer_key	varchar (100)	The customer key (number) for the "owner" of the call.
internal_country_src_db	varchar(10)	Mostly for internal use. Indicates the country for the database (internally) where the original record is fetched from. International standard for country codes is used (for example 'NO' for Norway, 'SE' for Sweden, etc).
dte_time_stamp	datetime	A timestamp indicating when this enquiry registration was completed.
agent_id	int	Optional. May contain the id for the agent who made this enquiry registration.
queue_key	nvarchar(255)	Optional. May contain the queue for which this enquiry registration should be related to.
comment	nvarchar(MAX)	Optional. Will contain the comment the agent entered (if any).
reschedule_time	datetimeoffset	The time entered for the rescheduled (Dialler) call
enquiry_media_type	nvarchar(255)	A text indicating on which type of media the enquiry registration was related to. Contains one of the following values; "Undefined", "Call", "Chat", "EMail" and "SocialNetworks"
<b>related_iq_session_id</b>	uniqueidentifier	Optional. May contain a unique internal_iq_session_id for a call/request (the call may consist of more than one session) for which this enquiry registration should be related to.
dte_updated	datetime	A timestamp indicating when this record is stored/last updated in this database.
marked_unansw	varchar(255)	true if the Dialler agent selected Marked as unanswered, otherwise NULL. See <a href="#">General Dialler information</a>
reserved	varchar(255)	true if the agent that rescheduled the Dialler call selected "To myself", otherwise NULL. See <a href="#">General Dialler information</a>